This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) Compounds of the formula I

$$\begin{array}{c|c} R^1 & & \\ \hline \\ N & O & \\ \hline \\ N & O & \\ R^3 & \end{array}$$

in which

R denotes H, A, A-CO-, Hal, $-C \equiv C-H$, $-C \equiv C-A$ or $-C \equiv C-C(\equiv O)-A$,

 R^1 denotes H, =O, Hal, A, OH, OA, A-COO-, Ph-(CH₂)_n-COO-, cycloalkyl-(CH₂)_n-COO-, A-CONH-, A-CONA-, Ph-CONA-, N₃, NH₂, NO₂, CN, COOH, COOA, CONH₂, CONHA, CON(A)₂, O-allyl, O-propargyl, O-benzyl, =N-OH, =N-OA or =CF₂,

Ph denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A, OA or Hal,

R² denotes H, Hal or A,

R³ denotes a monocyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, OA, CN, (CH₂)_nOH, (CH₂)_nHal, NR⁴R⁵, =NH, =N-OH, =N-OA and/or carbonyl oxygen (=O),

or CONR⁴R⁵,

R⁴, R⁵, independently of one another, denote H or A,

R⁴ and R⁵ together also denote an alkylene chain having 3, 4 or 5 C atoms, which may also be substituted by A, Hal, OA and/or carbonyl

oxygen (=CO),

A denotes unbranched, branched or cyclic alkyl having 1-10 C atoms, in which 1-7 H atoms may also be replaced by F and/or chlorine,

Hal denotes F, Cl, Br or I,

n denotes 0, 1, 2, 3 or 4,

and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

- (Original) Compounds according to Claim 1, in which
 R denotes Hal or -C≡C-H,
 and pharmaceutically usable derivatives, salts, solvates and stereoisomers
 thereof, including mixtures thereof in all ratios.
- 3. (Currently Amended) Compounds according to Claim 1 or 2, in which R³ denotes a monocyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, OA, =NH and/or carbonyl oxygen (=O), or CONR⁴R⁵

R⁴, R⁵, independently of one another, denote H or A,

R⁴ and R⁵ together also denote an alkylene chain having 3, 4 or 5 C atoms, and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

- (Currently Amended) Compo unds according to <u>claim 1</u> one or more of <u>Claims</u>
 1-3, in which
 - R³ denotes 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2-oxo-1*H*-pyrazin-1-yl, 2-oxoimidazolidin-1-yl, 2-iminopiperidin-1-yl,

2-iminopyrrolidin-1-yl, 3-iminomorpholin-4-yl, 2-iminoimidazolidin-1-yl, 2-imino-1*H*-pyrazin-1-yl, 2,6-dioxopiperidin1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-azabicyclo[2.2.2]-octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl, 4*H*-1,4-oxazin-4-yl, furyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyridyl, pyrimidinyl, triazolyl, tetrazolyl, oxadiazolyl, thiadiazolyl, pyridazinyl or pyrazinyl, optionally mono- or disubstituted by Hal and/or A, or CONR⁴R⁵,

R⁴, R⁵, independently of one another, denote H or A,

R⁴ and R⁵ together also denote an alkylene chain having 3, 4 or 5 C atoms, and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

(Currently Amended) Compounds according to <u>claim 1</u> one or more of Claims
 1-4, in which

 R^1 denotes H, =O, OH, OA, A-COO-, Ph-(CH₂)_n-COO-, cycloalkyl-(CH₂)_n-COO-,

Ph denotes unsubstituted phenyl, and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

6. (Currently Amended) Com pounds according to <u>claim 1</u> one or more of <u>Claims</u> 1-5, in which

R denotes Hal or -C=C-H, R¹ denotes H, =O, OH, OA, A-COO-, Ph-(CH₂)_n-COO-, cycloalkyl-(CH₂)_n-COO-, Ph denotes unsubstituted phenyl,

 R^2

denotes H, Hal or A, \mathbb{R}^3 denotes 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1Hpyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2-oxo-1*H*-pyrazin-1-yl, 2-oxoimidazolidin-1-yl, 2-iminopiperidin-1-yl, 2-iminopyrrolidin-1-yl, 3-iminomorpholin-4-yl, 2-iminoimidazolidin-1-yl, 2-imino-1*H*-pyrazin-1-yl, 2,6dioxopiperidin1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1yl, 2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2H-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-azabicyclo[2.2.2]-octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl, 4H-1,4-oxazin-4-yl, furyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyridyl, pyrimidinyl, triazolyl, tetrazolyl, oxadiazolyl, thiadiazolyl, pyridazinyl or pyrazinyl, optionally mono- or disubstituted by Hal and/or A, or CONR⁴R⁵,

 R^4 , R^5 , independently of one another, denote H or A, R⁴ and R⁵ together also denote an alkylene chain having 3, 4 or 5 C atoms, and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

(Currently Amended) Compounds according to claim 1 one or more of Claims 7. 1-6, in which

 R^3 denotes 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1Hpyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2-oxo-1*H*-pyrazin-1-yl, 2-oxoimidazolidin-1-yl, 2-iminopiperidin-1-yl, 2-iminopyrrolidin-1-yl, 3-iminomorpholin-4-yl, 2-iminoimidazolidin-1-yl, 2-imino-1*H*-pyrazin-1-yl, 2,6dioxopiperidin1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl,

2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-azabicyclo[2.2.2]-octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl or 4*H*-1,4-oxazin-4-yl, optionally mono- or disubstituted by Hal and/or A,

and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

- 8. (Currently Amended) Compounds according to <u>claim 1</u> one or more of Claims 1-7, in which
 - R³ denotes 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2-oxo-1*H*-pyrazin-1-yl, 2-oxoimidazolidin-1-yl, 2,6-dioxopiperidin1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-azabicyclo[2.2.2]-octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl or 4*H*-1,4-oxazin-4-yl,

and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

- 9. (Currently Amended) Compounds according to <u>claim 1</u> one or more of Claims 1-8, in which
 - R denotes Hal or -C≡C-H,
 - R^1 denotes H, =O, OH, OA, A-COO-, Ph-(CH₂)_n-COO-, cycloalkyl-(CH₂)_n-COO-,
 - Ph denotes unsubstituted phenyl,
 - R² denotes H, Hal or A,
 - R³ denotes 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2-oxo-1*H*-pyrazin-1-yl, 2-oxoimidazolidin-1-yl, 2,6-

dioxopiperidin1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-azabicyclo[2.2.2]-octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl or 4*H*-1,4-oxazin-4-yl, denotes unbranched, branched or cyclic alkyl having 1-10 C

A denotes unbranched, branched or cyclic alkyl having 1-10 C atoms, in which 1-7 H atoms may also be replaced by F and/or chlorine,

Hal denotes F, Cl, Br or I, n denotes 0, 1, 2, 3 or 4,

and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

10. (Original) Compounds according to Claim 1 selected from the group 1-N-[(4-ethynylphenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}pyrazolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}pyrazolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(2-oxopiperidin-1-yl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(2-oxopyrrolidinyl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-fluoro-4-(3-oxomorpholin-4-yl)-phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,

- 1-N-[(4-chlorophenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-fluoro-4-(2-oxopyrrolidinyl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-chloro-4-(2-oxo-2*H*-pyridin-1-yl)-phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[4-(2-azabicyclo[2.2.2]-octan-3-on-2-yl)-phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-trifluoromethyl-4-(2-azabicyclo[2.2.2]-octan-3-on-2-yl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-chloro-4-(2-azabicyclo[2.2.2]-octan-3-on-2-yl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-fluoro-4-(3-oxomorpholin-4-yl)-phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-chloro-4-(2-oxo-2*H*-pyridin-1-yl)-phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-chloro-4-(2-azabicyclo[2.2.2]-octan-3-on-2-yl)phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(2-oxopyrrolidinyl)phenyl]}-pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-4-oxopyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[4-(2-oxopiperidinyl)phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-pyrazolidine-1,2-dicarboxamide,

- 1-N-[(4-chlorophenyl)]-2-N-{[2-fluoro-4-(3-oxomorpholin-4-yl)-phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[3-trifluoromethyl-4-(2-azabicyclo[2.2.2]-octan-3-on-2-yl)phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[4-(2-azabicyclo[2.2.2]-octan-3-on-2-yl)-phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-chlorophenyl)]-2-N-{[4-(2-oxo-1,3-oxazinan-3-yl)phenyl]}-pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}pyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}-(R)-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-(R)-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}-(R)-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}-(S)-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-(S)-4-hydroxypyrazolidine-1,2-dicarboxamide,
- 1-N-[(4-ethynylphenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}-(S)-4-hydroxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}-4-acetoxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-4-benzylcarbonyloxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}-4-benzoyloxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}-4-*tert*-butylcarbonyloxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-4-isobutylcarbonyloxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}-4-cyclohexylmethylcarbonyloxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[3-chloro-4-(3-oxomorpholin-4-yl)-phenyl]}-4-cyclopentylcarbonyloxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-4-cyclopropylmethylcarbonyloxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-ethynylphenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]}-4-cyclobutylcarbonyloxypyrazolidine-1,2-dicarboxamide,

 $1-N-[(4-bromophenyl)]-2-N-\{[4-(2-oxo-2H-pyridin-1-yl)phenyl]\}-pyrazolidine-1,2-dicarboxamide,$

1-N-[(4-bromophenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-4-hydroxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-bromophenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-(S)-4-hydroxypyrazolidine-1,2-dicarboxamide,

1-N-[(4-bromophenyl)]-2-N-{[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]}-(R)-4-hydroxypyrazolidine-1,2-dicarboxamide,

and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

11. (Currently Amended) Process for the preparation of compounds of the formula I according to <u>claim 1 Claims 1-10</u> and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, characterised in that

$$R \longrightarrow NH_2$$

in which R has the meaning indicated in Claim 1,

a compound of the formula II

is reacted with a chloroformate derivative to give an intermediate carbamate derivative,

which is subsequently reacted with a compound of the formula III-1

in which

a)

 R^1 , R^2 and R^3 have the meaning indicated in Claim 1, and, if R^1 denotes OH, the OH group is optionally in protected form,

and subsequently, if desired, the OH-protecting group is removed,

or

b) a compound of the formula IV

$$R^2$$
 IV,

in which R² and R³ have the meaning indicated in Claim 1, is reacted with a chloroformate derivative to give an intermediate carbamate derivative,

which is subsequently reacted with a compound of the formula III-2

in which R and R¹ have the meaning indicated in Claim 1, and, if R¹ denotes OH, the OH group is optionally in protected form,

and subsequently, if desired, the OH-protecting group is removed,

and/or

a base or acid of the formula I is converted into one of its salts.

- 12. (Currently Amended) Compounds of the formula I according to <u>claim 1</u> one or <u>more of Claims 1 to 10</u> as inhibitors of coagulation factor Xa.
- 13. (Currently Amended) Compounds of the formula I according to <u>claim 1</u> one or more of Claims 1 to 10 as inhibitors of coagulation factor VIIa.
- 14. (Currently Amended) Medicaments comprising at least one compound of the formula I according to <u>claim 1</u> one or more of <u>Claims 1 to 10</u> and/or pharma-

ceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios, and optionally excipients and/or adjuvants.

- 15. (Currently Amended) Medicaments comprising at least one compound of the formula I according to <u>claim 1</u> one or more of <u>Claims 1 to 10</u> and/or pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios, and at least one further medicament active ingredient.
- 16. (Currently Amended) Use of compounds according to <u>claim 1</u> one or more of <u>Claims 1 to 10</u> and/or physiologically acceptable salts and solvates thereof for the preparation of a medicament for the treatment of thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexy, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, tumours, tumour diseases and/or tumour metastases.
- 17 (Currently Amended) Set (kit) consi sting of separate packs of
 - (a) an effective amount of a compound of the formula I according to <u>claim</u>

 <u>1 one or more of Claims 1 to 10</u> and/or pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios,

and

- (b) an effective amount of a further medicament active ingredient.
- 18. (Currently Amended) Use of compounds of the formula I according to <u>claim 1</u> one or more of Claims 1 to 10 and/or pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios,

for the preparation of a medicament for the treatment of thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexy, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, tumours, tumour diseases and/or tumour metastases,

in combination with at least one further medicament active ingredient.

19. (Original) Intermediate compounds of the formula III-1

in which

R¹ denotes H, =O, Hal, A, OR⁶, OA, A-COO-, Ph-(CH₂)_n-COO-, cycloalkyl-(CH₂)_n-COO-, A-CONH-, A-CONA-, Ph-CONA-, N₃, NH₂, NO₂, CN, COOH, COOA, CONH₂, CONHA, CON(A)₂, O-allyl, O-propargyl, O-benzyl, =N-OH, =N-OA, or =CF₂,

Ph denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A, OA or Hal,

R² denotes H, Hal or A,

denotes a monocyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, OA, CN, (CH₂)_nOH, (CH₂)_nHal, NR⁴R⁵, =NH, =N-OH, =N-OA and/or carbonyl oxygen (=O), CONR⁴R⁵,

R⁴, R⁵, independently of one another, denote H or A,

R⁴ and R⁵ together also denote an alkylene chain having 3, 4 or 5 C atoms, which may also be substituted by A, Hal, OA and/or carbonyl oxygen (=CO),

R⁶ denotes an OH-protecting group,

A denotes unbranched, branched or cyclic alkyl having 1-10 C atoms, in which 1-7 H atoms may also be replaced by F and/or chlorine,

Hal denotes F, Cl, Br or I, n denotes 0, 1, 2, 3 or 4,

and isomers and salts thereof.

20. (Original) Intermediate compounds according to Claim 19, in which

 R^1 denotes H, =O, OR⁶, OA, A-COO-, Ph-(CH₂)_n-COO- or cycloalkyl-(CH₂)_n-COO-,

Ph denotes unsubstituted phenyl,

R² denotes H, Hal or A,

R³ denotes 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2-oxo-1*H*-pyrazin-1-yl, 2-oxoimidazolidin-1-yl, 2,6-dioxopiperidin1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-azabicyclo[2.2.2]-octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-

R⁶ denotes an OH-protecting group,

A denotes unbranched, branched or cyclic alkyl having 1-10 C atoms, in which 1-7 H atoms may also be replaced by F and/or chlorine,


2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl or 4*H*-1,4-oxazin-4-yl,

Hal denotes F, Cl, Br or I, n denotes 0, 1, 2, 3 or 4, and isomers and salts thereof.

21. (Original) Intermediate compounds according to Claim 20, in which

 R^1 denotes H, =O or OR⁶, R^2 denotes H, Hal or A, R^3 denotes 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, 2-oxo-1Hpyridin-1-yl, 3-oxomorpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2-oxo-1H-pyrazin-1-yl, 2-oxoimidazolidin-1-yl, 2,6-dioxopiperidin1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2,5dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2Hpyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-azabicyclo[2.2.2]-octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl, 4H-1,4-oxazin-4-yl, R^6 denotes an alkylsilyl protecting group, denotes unbranched, branched or cyclic alkyl having 1-10 C Α atoms, in which 1-7 H atoms may also be replaced by F and/or chlorine, denotes F, Cl, Br or I, Hal denotes 0, 1, 2, 3 or 4, n and isomers and salts thereof.

22. (Original) Intermediate compounds of the formula III-2



in which

R denotes H, A, A-CO-, Hal, -C \equiv C-H, -C \equiv C-A or -C \equiv C-C(\equiv O)-A,

R¹ denotes H, \equiv O, Hal, A, OR⁶, OA, A-COO-, Ph-(CH₂)_n-COO-, cycloalkyl-(CH₂)_n-COO-, A-CONH-, A-CONA-, Ph-CONA-, N₃, NH₂, NO₂, CN, COOH, COOA, CONH₂, CONHA,

 $CON(A)_2$, O-allyl, O-propargyl, O-benzyl, =N-OH, =N-OA or = CF_2 ,

Ph denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A, OA or Hal,

R⁶ denotes an OH-protecting group,

A denotes unbranched, branched or cyclic alkyl having 1-10 C atoms, in which 1-7 H atoms may also be replaced by F and/or chlorine,

Hal denotes F, Cl, Br or I,

n denotes 0, 1, 2, 3 or 4,

where, if R¹ denotes H, R does not denote Cl, and isomers and salts thereof.

23. (Original) Intermediate compounds according to Claim 22, in which

R denotes Hal or -C≡C-H,

 R^1 denotes H, =O, OR⁶, OA, A-COO-, Ph-(CH₂)_n-COO- or cycloalkyl-(CH₂)_n-COO-,

Ph denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A, OA or Hal,

R⁶ denotes an OH-protecting group,

A denotes unbranched, branched or cyclic alkyl having 1-10 C atoms, in which 1-7 H atoms may also be replaced by F and/or chlorine,

Hal denotes F, Cl, Br or I,

n denotes 0, 1, 2, 3 or 4,

where, if R¹ denotes H, R does not denote Cl, and isomers and salts thereof.

23. (Original) Intermediate compounds according to Claim 22, in which

R denotes Hal or $-C \equiv C-H$, R¹ denotes H, = O or OR^6 , R^6


denotes an alkylsilyl protecting group,

Hal

denotes F, Cl, Br or I,

where, if R¹ denotes H, R does not denote Cl, and isomers and salts thereof.

24. (Original) Intermediate compounds of the formula VI



in which

 R^1

denotes OH or OR⁶,

 R^6


denotes a silyl protecting group,

 R^7

denotes tert-butyloxycarbonyl (BOC) or benzyloxycarbonyl (Z),

and isomers thereof.

25. (Original) Process for the preparation of compounds of the formula VI



in which

 \mathbb{R}^1

denotes OH or OR⁶,

 R^6

denotes a silyl protecting group,

R⁷ den

denotes tert-butyloxycarbonyl (BOC) or benzyloxycarbonyl (Z),

and isomers thereof,

obtainable by reaction of a compound of the formula VII

R⁷-NHNH₂

VII,

in which R⁷ denotes BOC or Z,

with silyl-protected 1,3-dibromopropan-2-ol, and optionally subsequent removal of the protecting group.